

# AVIPRO<sup>®</sup> 233 ND-PMV3

**L.A.H.I.**

**Newcastle-Paramyxovirus Vaccine, Type 3, Killed Virus**

**U.S. Vet. Lic. No.:** 196

**Contents:** AVIPRO<sup>®</sup> 233 ND-PMV3 is produced with high titering strains of Newcastle disease and Avian Paramyxovirus, Type 3 viruses, suspended in a stable oil emulsion.

**Indications:** Recommended for use in turkey breeder hens to give broad protection against Newcastle disease and Avian Paramyxovirus - Type 3 (PMV3).

**Dosage and Administration:** The vaccine should be warmed to room temperature before use. Shake well before using. Inject subcutaneously in the lower neck region using aseptic technique. Inject all of the birds in the flock with 1/2 mL (0.5 mL) per bird.

Vaccinate between 16 and 24 weeks of age. Revaccinate 4 to 6 weeks later. Do not vaccinate before 12 weeks of age. This is a killed virus vaccine. There is no danger of spread to susceptible birds, or of egg transmission of the virus.

**Precaution(s):** Store below 45°F (7°C). Do not freeze.

Use entire contents of bottle when first opened.

**Warning(s):** Do not vaccinate within 42 days before slaughter.

	LIST NO.
1000 doses	2813
1000 doses (concentrate)	2820

**NAC No.:** 10080973